Finishes & Accessories

Available Finishes





Satin Nickel HM512514

Burgundy HS212R7



 \sim

Sage RAL6021





Finishes & Accessories





Product Accessories

Levelers

These industrial-strength base levelers are designed to screw into the bottom of table legs to create a balanced system while protecting the office floors from scratches.

Base Leveler Details:	
Adjustment	17mm Hex Nut
Height	47mm (1 7/8")
Material	Thread: Steel; Foot: Plastic



Wire Management

Cable clutter is one of the biggest workplace annoyance. Removing or relocating a cord from a tangled cable batch is one of the toughest jobs. Don't even mention the messy look or the office hazard where you trip over the cords all the time. Formaspace Contract offers hinged covered wiring duct with removable duct covers that attach to desking systems to organize the cable mess underneath and give the offices a cleaner look.

Specifications:

- Made of rigid pvc
- Rated for continuous use temperatures up to 50°c (122°f)
- Ul94 flammability rating v-0
- Provided with standard mounting holes
- Cover flush with base provides greater wire capacity and improves aesthetics
- Easy cover removal makes changes to wiring quick and easy
- Material: lead-free pvc/ul recognized
- Available colors: black, brown, grey and putty
- Non-slip cover design incorporates integral high friction lining to inhibit cover movement











Product Accessories

Grommet Power and Data

We live in an era where the electrical gadgets and USB controlled devices are taking over the office space. Without built-in outlets and inserts, an office desk could be considered naked or not fully functional. Embedding a power unit will complete the desk for end users. It will not only prevent the trip hazard of having exposed, loose cords, it also adds to the aesthetic appeal of the desks.

Grommets Details:		
Standard Grommet	Colors: BlackCut out: 3" diameter	(i l'un
Power Dock	 2 Grounded AC outlet 125V 15A rating Colors: Black 10 ft. power cord UL Certified 1000 Joules of surge protection available as an option Cut out: 3" diameter 	
Power & USB Dock	 1 Grounded AC outlet 125V 15A rating 2 USB charging ports with shared 4.2A charging power Colors: Black 10 ft. power cord UL Certified Cut out: 3" diameter 	
Recessed Dual Power & USB Unit	 2 power outlets rated 15A/125VAC 2 USB charging ports with 2A charging power each, suitable for charging phones and tablets Flips back to a blank top in the closed position to conceal the outlets when not in use Colors: Black, White, Orange and Chartreuse 6 ft. power cord UL Certified Cut out: 4-1/2" diameter 	
Grommet 3" hole colors	:	
Black (90) Walnut Brown (91) Mahogany (91M)	Light Grey (92) Grey (92N) Warm Grey (92W) Putty (93) Desert Sand (93D) Pesan (93P)	White (95) Metallic Silver (23)

 \sim



Product Accessories

Monitor Mounts

Precise control of the screen angle, distance, and the height is a necessity for office ergonomics. Especially, when you are using a sit-to-stand desk, keeping the monitors at eye level every time adjusting the system on standing or seating position is a health requirement to prevent any neck and back pains. Considering that, it is strongly recommended to add the proper monitor mounts when ordering an office desk. Upon request, the number of the screens the system holds can be increased.

Monitor Mount Op	otions:
7-Flex Articulating Monitor Mount	 Arm reaches out 23" & folds up into 3.2" Rotates from landscape to portrait Accommodates monitors weighing 4 to 28 lbs 15.5" vertical travel range Attaches surfaces up to 2.5" thick LCD Arm even configures to 3/8" bolt hole attachment Available options: clamp to desk or mount to wall Tilts the display back past 90° or down 45° Compatible with 20" and 23" Apple Cinema Monitors (additional Cinema Display VESA Mount adapter kit from Apple is required) Complaint with VESA 75mm x 75mm & 100mm x 100mm Embedded wire management Color: black
Dual Monitor Mount	 Capable of holding two monitors, each up to 28.5" wide (Max width is appr. 27" when curved inward) 14" vertical and 21.5" lateral travel range Accommodates two monitors each weighing 9 to 30 lbs. Articulation points have friction resistance adjustability Embedded wire management